

Index

α

α-linolenic acid, 17, 18, 84-85, 180
α-tocopherol, see Vitamin E

A

Adequate Intake (AI), 12
AIDS (acquired immune deficiency syndrome), see HIV
ALA, see α-linolenic acid
Alcohol,
 breastfeeding and, 72, 163-164
Allergy, allergies, see Food hypersensitivity see also Food intolerance
Amino acids, 16, 23, 191, 194
 essential, 17
 hypoallergenic infant formula and, 82-83
Anemia, 190-192
 cow's milk and, 85, 158
 iron and, 23, 25
 lead and, 35
 screening for, 12
 vitamin B2 (riboflavin) deficiency and, 22
 vitamin B12 deficiency and, 21
 vitamin C deficiency and, 21
 vegetarian diets and, 22, 136
Anthropometric data, 12, 14, 157
Appetite, 11, 20, 123
Appetite (Growth) spurts, 59, 63-64, 162
ARA, see Arachidonic acid
Arachidonic acid (ARA), 17-18, 164
Artificial food colorings, 105
Artificially sweetened beverages and foods, 114-115

B

Baby food, see Commercially prepared infant foods, Home-prepared infant foods
Beverages, 114
 artificially sweetened "low calorie", 114
 milk, see Cow's milk
 soy milk, see Soy-based beverage
 sweetened, 86, 89, 114, 124, 132, 133, 158, 172, 174, 176
 water, 28-31, 91, 176
Biochemical data, 12, 14
Biotin, 181, 194
Birth defects, 12
Birth weight, 13, 61, 64-65, 142, 183
 low, 81, 83, 102
Bonding, bonds, 47, 89
Bottles, Bottle feeding,
 bottle in bed, 89, 133
 complementary bottles, 65, 161

 feeding skills/styles and, 42, 103
 guidelines, 47, 88, 89, 90, 133, 165, 168
 propping the bottle, 89, 90, 124
 preparing, 90, 115
 sterilize, 68, 91, 90, 92, 96, 162, 166
 weaning from, 123, 142, 177
 weaning from breast to, 75

Bottled water, see Water, Bottled

Bowel movements, 141

 of breastfed infants, see Breastfed infants:
 bowel movements

Breast(s), 53

 areola, 58, 61, 62, 67, 159, 160, 161
 care of, 66-67, 161
 flat or inverted nipples, 61
 normal fullness of, 60, 159
 practices not recommended, 62
 refusal, 64
 size of, 53
 sore nipples, 61-62

Breast milk, 55

 appearance of, 68
 characteristics of, 55-57, 159
 colostrum, 55-57, 60, 159
 composition, 55
 expression of, 67, 69
 breast pump, 67-68
 manual, 67
 storage and, 68
 warming and, 69
 mature breast milk, 57

Breast piercing or surgery, 74

Breastfeeding, Breastfed infants,

 alcohol consumption by mother and, 71-72, 163-164
 attachment (latch-on) to the breast, 58, 61, 62, 63, 159, 160
 c-hold or palmer grasp, 58
 sore nipples related to incorrect, 61-62
 benefits to mother and infant, 51-52, 159
 biting and, 64
 bottles (complementary) and pacifier use and, 65, 161
 bowel movements and, 60-61, 160
 brain development and, 17-18
 burping and, 60
 caffeine-containing products and, 72
 cigarette smoking and, 71-72, 163-164
 contraindications to, 73-74
 feeding patterns, appetite/growth spurts, 59, 63, 87, 162
 frequency and duration, 59, 62, 160
 engorgement and, 62
 sore nipples and, 61-62
 sleepy/placid infants and, 59-60
 drug use and, 71-73
 engorgement, 60, 62-63, 65, 70, 160-161
 equipment, aids, devices for, 66

- breast shells (milk cups), 61, 66
- nipple shield and, 66
- nursing bra, 62, 66
- nursing pad, 66, 160
- feeding cues, 59
- feeding positions, 57-58
 - across-the-lap or cradle-hold, 57-58
 - lying down or side-lying, 57
 - football hold or clutch-hold, 58
 - plugged ducts and, 63
 - poor suckling and, 63
 - sore nipples and, 61-62
- fluoride, 27
- fussy infant, 59, 72
- galactosemia, 74
- growth rate,
 - in breastfed versus formula-fed infants, 13-14
 - expected weight gain, 13-14
 - slow, 64-65
- herbal tea, 73
- hormones and, 53-54, 55, 159
 - prolactin and, 52, 53
 - oxytocin 53, 55
- indicators of an infant getting enough milk, 60-61, 160
- let-down or milk ejection reflex and, 55, 61, 62, 160
 - inhibition by alcohol
 - consumption, 72
 - inhibition by cigarette smoking and, 71
 - methods to encourage and, 55
 - signs of, 55
 - stimuli triggering or inhibiting, 55
- mastitis and, 63, 161
- metabolic disorders and, 74
- milk ejection reflex, see let-down
- nipple preference or confusion, 63, 65, 70
- non-nutritive sucking, 60
- ovulation suppression and, 51, 159
- phenylketonuria and, 74
- promotion of, 53
- protection against breast cancer and, 51
- recovery from childbirth and, 51
- refusal to, 64
- relactation and, 75
- skin-to-skin contact and, 53
- sleeping through the night and, 65
- stools, see bowel movements
- sucking and, 56, 60
- support and, 52-53
- teething and, 64, 134, 176
- time away from the infant, 69-70, 163
- weaning and, 74-75, 164
- weight gain and, 61, 64

C

- Caffeine-containing products**, 72
 - beverages and, 114
 - coffee and, 72, 114, 163, 175, 196
- Calcium**, see Minerals
- Carbohydrates**,
 - dietary fiber, 16
 - fermentable, and tooth decay, 16, 132-134
 - functions of, 14-16
 - nutritional needs of infants and, 12
 - sorbitol in juice and, 14
 - sources of, 14
- Caries**, see Oral Health: dental caries, tooth decay
- Carotenes**, 19-20
- Casein**, 81
- Cereal, iron-fortified**, 85, 106-107, 109, 195-196
 - source of carbohydrate, 14, 157
 - absorption of iron from, 24, 106, 158
 - infant, 85, 106, 171
 - wheat, hypersensitivity reactions to, 105, 106, 171, 174, 196
 - introduction of, 106, 168
 - adult, designed for, 107
 - vegetarian diet and, 137-139
- Cheese**, see Dairy products
- Chloride**, 28, 85, 192
- Choking**,
 - bottle feeding and, 88, 89-90, 122, 124, 165
 - cheese and, 110, 173
 - chips and pretzels, 125
 - crumbs and, 125, 175
 - feeding position and, 167, 175
 - gag reflex and, 41, 42
 - grain products and, 113, 149, 171
 - ice chips and, 127
 - legumes and, 111, 139, 173
 - protein-rich foods and, 111
 - meats and, 113, 125
 - nuts and nut butters and, 111, 113, 125, 139
 - prevention of, 124-125, 175
 - complementary foods and, 124-125
 - sweetened foods and, 114
 - vegetables and fruits and, 109, 172
- Cholesterol**, 17-18, 158
- Chromium**, 182, 193
- Cigarette smoking**,
 - by breastfeeding mothers, 163-164
 - by other smokers around the infant, 164
 - effects on infant, 71
 - referral for smoking cessation, 71-72, 163-164
- Cleanliness**,
 - preparing infant foods, 115, 168
- Clostridium botulinum, botulism**, 113, 117, 133, 139, 174
- Coffee**, see Caffeine-containing products
- Colic**, 12, 140

bottle feeding and, 88-89
effects of cigarette smoking and, 71
food allergies (hypersensitivities) and, 83
formula-fed infants and, 140
herbal tea and, 114
low iron formula and, 82

Commercially prepared infant foods, 102, 120
amount eaten per meal and, 123
cereal and, 106
cheese and yogurt and, 110
desserts and, 108, 113, 174
fluoride and, 26, 27, 38, 131, 158
fruits and vegetables and, 108-109, 120, 172
grain products (allergies) and, 113
introducing complementary(solid)s foods, 106
meats and mixed dinners, 110
 as iron source and, 24, 106
 renal solute load and, 111
nitrates/nitrites and, 109
selection, serving, storage of, 121, 170-172
sodium content of, 27, 28

Complementary Bottles, 65, 161

Complementary Foods,
allergies, see Food hypersensitivities
amounts recommended, 123, 167-168, 195-196
breastfed infant and, 64, 74, 101
choking and, see Choking
commercially prepared, see Commercially prepared infant foods
developmental delays and, 102
developmental readiness and, 41, 44, 101-102
feeding guidelines, 122-123
fluoride and, 27
fish, see Fish and seafood
finger foods, 103, 113, 174
food safety and, 122
formula-fed infant and, 88,
fruit and vegetables, 108-109, 172, 195-196
home-prepared, see Home-prepared infant foods
infant cereal, 107-108
introduction of, 101-105, 120, 122, 167
iron intake and, 27, 158
inappropriate feeding practices, 90, 104
preferences and, 106
preparation and, 115-119, 168-170
protein-rich foods and, 109-113, 173, 195-196
storage of, 115-118, 168-170
sweeteners and sweetened foods, 113, 114, 174
water needs, see Water: needs when complementary foods introduced

Constipation, 141
low-iron formula and, 82

Copper, see Minerals

Corn Syrup, 14, 82, 108, 113, 176, see also Sweeteners and sweetened foods and beverages

Cow's Milk,
compared to breast milk, 86, 136

compared to infant formulas, 85
evaporated, 86
hypersensitivity reactions and, 85
iron content of, 24-25, 85
iron deficiency anemia, see Anemia
low-fat, 85-86
nutrient content and, 85
potassium and, 85
protein and, 85
renal solute load, stress on kidneys and, 28-29, 85
scurvy and, 21, 191
skim, 85-86
sodium content of, 27
sweetened condensed, 86
weaning, see Weaning
whole, 85

D

Dairy products, 190-192, see also Cow's milk
egg, see Egg
cheese, 109-110, 196
hypersensitivity (allergy) and, 105
iron absorption and, 24
vegetarian diets and, 21, 136-138
yogurt, 109-110, 138, 173, 190-193, 196

Dehydration, 29, 37-38
cow's milk and, 85
infant formula preparation and, 91
feeding sweetened beverages and, 114
gastrointestinal problems and, 140-141

Demand feeding approach, 59, 88

Dental care, 131-134, 177

Developmental disabilities, 11, 41, 102

Developmental readiness, 41, 101, 103, 167

DHA, see **Docosahexaenoic Acid**

Diarrhea, 29, 36-37, 118, 140-141
fruit juice and, 16, 107, 157
low-iron infant formula and, 82-83
symptom of food hypersensitivity/allergy, 83, 105
sweetened beverages and, 114, 133

Dietary Reference Intakes (DRIs), 11, 12, 15, 180-182

Diet history, 11

Dietary fiber, see Fiber

Dry beans and peas, see Legumes and Protein-Rich Foods

Docosahexaenoic Acid, 17, 18, 84, 164

Drugs, 73, 114, 164

E

Early Periodic Screening, Diagnosis, and Treatment Program (EPSDT), 46

EER, see Estimated Energy Requirement

Eggs, 21, 110, 118, 173, 195-196, see also Dairy products
hypersensitivity/allergic reactions and, 105, 110
preparation and storage, 118, 169, 173
vegetarian diet and, 21, 136

Energy, 12, 13, 15, 45, 137, 157, 190-193

Engorgement, see Breastfeeding: concerns
Environmental Protection Agency (EPA), 29, 35, 71, 110, 112, 166
Essential amino acids, see Amino Acids
Essential fatty acids, see Fatty Acids
Estimated Average Requirement (EAR), 12
Estimated Energy Requirement (EER), 12, 13, 15
Evaporated milk, see Cow's milk
Exercise, see Physical Activity
Expressing breast milk, see Breast Milk: expression of

F

Fat, see Lipids
Fatty acids, 190, 191, 194, see also Linoleic acid, Arachidonic acid, α -Linolenic acid, Docosahexaenoic acid
essential, 17, 20, 84, 158
fish and, 112
infant formula additives 84, 164
Feeding Cues (hunger and satiety), 13, 42-43, 45-47, 59, 70, 87
complementary feeding, 125
formula fed infants, 89, 90, 92, 166
breastfed infants, 162
obesity, 142
Feeding Relationship, 45-47, 158-159
Feeding Skills, 41-47, 102, 113, 115, 116, 118, 158-159
Fever,
water needs and, 29, 91, 158
constipation and, 141
dehydration and, 85
mastitis and, 63, 161
Fiber, 14, 16, 108, 111, 157, 180, 190
vegetarian diet and, 137
Fish and seafood/shellfish, 109, 112, 173, 190-193, 196,
see also Mercury
choking and, 111, 125, 175
hypersensitivity(allergy)/intolerances and,
105, 110, 112, 173
food safety resources, 110, 116, 117, 122
preparation and storage of, 115, 117-118,
120, 168-169
Food Hypersensitivities (allergies), 104-105, 173,
see also Intolerance
breastfeeding and, 51
chocolate and, 113
cow's milk and, 85
cow's milk protein, 82-83, 85, 139, 164
dairy products, 105, 110
family history of, 105
fish and shellfish and, 105, 110, 112, 173
hypoallergenic infant formulas and, 82-83
infant cereal and, 106
introducing complementary foods and, 101, 104
nuts and nut butters and, 105, 111, 139
protein-rich foods and, 109
soy-based infant formula and, 82, 164

symptoms of, 83, 105
wheat cereal, 106
whole egg and egg white and, 105, 110, 118

Formula, see Infant Formula
Fruit, see Complementary foods
Fruit juice, 107, 171-172
bottle feeding and, 89
canned, 108
colic and, 140
dental caries and, 132-134, 176
diarrhea and, 16, 29, 107, 140, 157-158, 172
feeding from a cup, 108
guidelines on introducing and, 107, 174
iron absorption and, 24
pasteurized, 108
sorbitol and, 14, 16, 107, 140, 157
Fussy infant, 59, 87, 165, see also Colic
caffeine-containing products and, 72

G

Gag Reflex, 41, 42
Galactosemia, 74, 82, 164
Gastroesophageal Reflux, 64, 89, 123, 139
Gastrointestinal Problems, 141-145
colic, 82, 140
constipation, 141
diarrhea, 140 - 141
low-iron infant formula and, 82
spitting up and vomiting, 139-140
Goat's Milk, see Milk
Grain Products, 111, 174, 190-194, 195-196
as finger foods, 113, 174
bread, 111
cereal, see Cereal
choking and, 113, 125, 139, 174, 175, 196
Growth charts (CDC), 13, 14, 61, 183-184, 186-189
and obesity, 142
Growth Rate, 12-16, 157
vegetarian diets, 136
in breastfed infants, 61, 65, 71, 84, 86, 88
obesity, 142
Growth Spurts, see Appetite Spurts

H

Herbal teas, 73, 114, 175
HIV,
breastfeeding and 73-74
Home-prepared infant foods, 109, 115, 119, 168-170
cleanliness, preparation, 115-116, 120, 169
cooking guidelines, 117
dry beans, peas, tofu, 119
eggs, 118
equipment for preparation, 117-118, 169
meats, poultry, fish, 28, 109, 119
serving and storage, 116, 121

vegetables and fruit, 109, 118
Honey, 113, 117, 136, 141, 176
early childhood caries and, 133, 176
clostridium botulinum, 113, 133, 139, 174
Human milk, see Breast Milk
Hunger Cues, see Feeding cues
Hypersensitivity reactions, see Food Hypersensitivities

I
Imitation milks, see Milk
Infant Cereal, see Cereal
Infant Formula,
additives,
nucleotides, 51, 84
prebiotics, 84
probiotics, 84
breastfed infants and, 52-53, 64, 65, 68, 70, 74-75
carbohydrate, 14
composition, 81
concentrated, 91, 92, 94, 166
gastrointestinal problems and, 139-141
exempt, 83, 84
lipids, 17-18, 158
essential fatty acids, 17
long-chain polyunsaturated fatty acids, 84
early childhood caries and, 132, 133
fluoride, 26-27
feeding
amount recommended, 87, 195-196
feeding cues, hunger, satiety, 87
frequency, 87
from a bottle, 88-90
sleepy infant, 88
hypoallergenic, 82-83,
iron requirements, 24, 87
iron-fortified, 81-82, 85, 138, 158
lactose-free, 83
low-iron, 82
medical indications for, 24
milk-based, 81
phenylketonuria and, 74
powdered, 95
Enterobacter sakazakii (*E. sakazakii*), 92
preparation, 91, 93-95
limited kitchen appliances and, 96
power outage, natural disaster, 96
protein, 16
ready-to-feed, 92, 93
renal solute load and, 28-29
selection of, 89
soy-based, 82
composition, 82
vegetarian diets, use in, 23, 136-137, 138
gastrointestinal problems, 139-141
hypersensitivity/allergy and, 82
storage of, 92

traveling with, 92
vitamin D, 19
warming, 96
water, 28-29
water safety and, 29, 36-38

Infectious Diseases,
breastfeeding and, 73-74

Intolerance,
food, 11, 105
lactose, 82-83

Iron, see Minerals

K
Kwashiorkor, 17, 190

L
Lactation, see Breastfeeding, Breast milk
Lactose, 14, 57, 81
Lactose intolerance, 82, 83, 105

Lead, see also Water, water safety
exposure from food, 120, 169
poisoning, 23, 25
iron deficiency and, 25
canned food or beverages and, 108, 172
feeding complementary foods and, 122, 167
Legumes (Dry beans or Peas) and Tofu, 17, 111, 119,
123, 190-196 see also Protein-rich foods
choking and, 111
fiber and, 16
modifying texture of, 111
preparation of, 118
vegetarian diets and, 136-139

Linoleic Acid, 17-18, 84-85

Lipids, 17, 18, 86, 160, see also Linoleic Acid, α -linolenic acid

breast milk content of, 17
cholesterol, 18
comparison of content in different milks, 18
role of breast milk, 18
atherosclerosis life and, 18
essential fatty acids, 17
functions of, 17
in low-fat and skim milks, 85-86
long-chain polyunsaturated fatty acids
(LCPUFA), 17, 18, 84
arachidonic acid (ARA), 17, 18, 84, 164
docosahexaenoic acid (DHA), 17,
18, 84, 164
sources, 17-18
trans fats, 18

M
Macrobiotic diets, 23, 138
Manganese, see Minerals
Magnesium, see Minerals

Marasmus,

- protein deficiency, 17
- soy-based beverages and, 86

Mastitis, see Breastfeeding Problems**Meats, Poultry and Fish,** 111, 190-196, see also

Protein-rich foods

- commercially prepared, 110, 120, 121, 170-171
- cooking temperature guidelines and, 117, 173
- choking and, 111, 125, 175
- Escherichia coli* O157:H7 (E. coli) and, 37, 118
- home preparation, use, storage of, 109, 115-117, 120
- processed, 118, 174, 196
- raw/partially cooked, 118
- renal solute load and, 102, 111

Media Use, 154**Mercury,** 110, 112**Metabolic Disorder,** 12, 76, 84**Methemoglobinemia,**

- drinking and, 37
- home-prepared vegetables and, 109

Microwave Oven,

- warming bottles of infant formula, 93, 96, 120, 166-167
- thawing and warming breast milk, 162-163
- commercially prepared infant foods, 121
- food preparation, 116-117, 121

Milk, see also Cow's milk

- goat's milk, 86
- imitation, 175
- iron content of, 24-25
- rice-based beverage, rice milk, 86, 137
- soy-based beverage, soy milk, 83, 86

Milk Cup, see Breast shell**Minerals,**

- calcium, 19, 23, 194
 - absorption of, 19, 23, 190
 - deficiency, 23
 - Dietary Reference Intakes (DRIs), 23, 182
 - functions, 23
 - lead poisoning and, 23
 - sources of, 23
 - tooth development and, 23, 131
 - vegetarian diets and, 23, 136-137
 - vitamin D interaction, 19, 190
- chloride, 28, 85, 192
- chromium, 182, 193
- copper
 - water supply and, 36, 38, 166
- fluoride, 26, 158, 177, 192
 - bottled water and, 26-27, 38
 - breastfed infants and, 27
 - commercially prepared infant foods and, 27
 - dental care, caries and, 26, 131-134
 - Dietary Reference Intake (DRIs), 27, 182
 - excessive intake of, 26-27
 - formula-fed infants and, 27
 - functions, 26

- mottling of teeth, 27, 36
- role of tooth development, 26, 131
- sources, 26

- supplementation, 26
- water testing for, 26, 36-37
- well water and, 36-37

iodine, 182, 193

iron,

- cow's milk and, 24-25, 85
- complementary foods and, 101, 106
- commercially prepared infant foods, 24, 110
- constipation, 141
- deficiency, 25
- Dietary Reference Intakes (DRIs), 24, 84, 182
- needs of,
 - breastfed infants, 24, 82
 - formula-fed infants, 24, 106

elevated blood lead levels, 25

forms of iron,

- heme iron 24
- nonheme iron 24

- functions, 23, 192
- goat's milk and, 25, 86
- hematocrit and hemoglobin, 25
- in cereal, see Cereal, iron-fortified
- infant formula and, 81-82
- in protein-rich foods, 109
- lead poisoning and, 25
- Recommended Dietary Allowance (RDA), 24
- sources of, 24
- soy-based beverages, 24
- vegetarian diets and, 138

manganese, 182, 193

magnesium, 182, 193

molybdenum, 193

phosphorus, 192-193

- tooth development, 131
- vitamin D and, 19
- whole cow's milk and, 85

potassium, 193

- renal solute load and, 28
- milk and, 85

selenium, 183, 194

sodium, 192, 194

- cereals, designed for adults, 107
- commercially prepared infant foods, 27
- cow's milk and, 85
- functions, 27
- meats and, 118, 173
- minimum daily requirement, 27
- renal solute load and, 28, 85
- food preparation and, 28, 117-119, 170
- sources of, 27

zinc,

- Dietary Reference Intakes (DRIs), 26, 182, 192
- exclusively breastfed infants, 106
- functions, 25

introducing complementary foods and, 101, 109
iron-fortified infant cereal and, 106
lead poisoning and, 25
Recommended Dietary Allowance (RDA), 26, 138
sources of, 25
vegetarian diets and, 25, 138

Molybdenum, 193

Monosodium Glutamate (MSG), 105

Motor Skills, 47, 149-151

infant equipment and, 151

N

Niacin, *see* Vitamins

Nicotine, *see* Cigarettes

Nipple preference, 65, *see* Breastfeeding:

Bottles and Pacifier Use

poor suckling and, 63

Nipple Shield, 66

Nitrate,

in vegetables, 109, 116, 138

in water, 30, 35, 37

Nursing, *see* Breastfeeding

Nursing Bra, 64, 66

Nursing Pad, 66, 160

Nutrition Assessment, 11, 14, 53, 101, 104, 137, 157

Nutrition Education, 1, 11, 157, 198

Nuts and nut butters, 111, 190

choking and, 107, 111, 125, 139, 175

hypersensitivities (allergies), 105, 139

vegetarian diets and, 136

O

Obesity,

feeding relationship and, 45,

breastfeeding and, 51, 142

prevention, 142, 177

Oral Health, 131, 176

care of teeth, 133, 134

dental caries, tooth decay, 131

prevention of, 132, 133

Streptococcus mutans (*S. mutans*) and,
131-132

mother's oral health and, 132

dental care guidelines, 131, 132, 134

early childhood caries, 123, 132

bottle feeding and, 89

breastfeeding and, 132

prevention of, 133

fruit juice and, 16, 89, 107, 132, 133, 134, 171, 176

oral health resources, 136

role of fluoride, 26-27, 35, 131, 132, 133, 134

teething, 134

tooth development, 131

Oral Rehydration Therapy (oral electrolyte solution), 29,

114, 141, 158

Overweight, *see* Obesity

P

Pacifier,

breastfeeding and, 65, 161

dental caries and, 132, 176

sweeteners and, 133, 174, 176

Pantothenic Acid, *see* Vitamins

Partially breastfed infant, 27, 65, 81, 82, 87

Phosphorus, *see* Minerals

Physical Activity, 12, 13, 47, 149, *see also* Motor Skills

exercise programs, 151-152

guidelines for, 151, 177

infant walkers and, 151, 177

inactivity, 151, 177

television, 152

Potassium, *see* Minerals

Poultry, *see also* Meat, Protein-rich foods

preparation, use, and storage of, 115, 117-118,
120, 168-170, 173

temperature guidelines, 117

Prematurity, premature, 12

infants and E. sakazakii, 92

infants and feeding skills, 102

infants and lactase, 83

Prolactin, *see* Breastfeeding, hormones

Protein, 16-17, 22, 23, 157-158, 190, *see also* Protein-rich

foods, Amino acids

as an energy source, 13, 16

cow's milk and, 81, 85, 86, 139, 164

deficiency of, 17

DRI, 12, 16

essential amino acids, 17

functions of, 14, 16

breast milk and, 55, 56, 57

infant formula and, 81, 82, 83

renal solute load and, 28

RDA, 16

sources, 16-17

soy-based beverages, 86

tooth development and, 131

vegetarian diets and, 137

Protein-Rich Foods, 109-111, 173, 190, 195-196, *see also*

Protein and Meat

choking and, 117

exclusively breastfed infants and, 106

guidelines on water intake and, 111, 114, 173

insufficient water intake and, 28

Pyridoxine (Vitamin B6), *see* Vitamins

R

Recommended Dietary Allowance (RDA), 12

Recommended Energy Allowances, 13

Reflex, 41, 42, 44, 47

gag, 41, 42

rooting, 41, 42, 59, 88

suck/swallow, 41, 42, 47
tongue thrust, 41, 42, 102

Relactation, 66, 75

Renal Solute Load,

water intake and, 28-29
cow's milk and, 85
goat's milk and, 86
transitioning to complementary foods, 102
protein-rich foods and, 111

Riboflavin see Vitamins

Rickets, 19, 192, 194

Rooting, see Reflex

S

Salmonella, 110

Satiety cues, 13, 42-43, 45, 46, 47, 70, 87, 142, 159

Selenium, see Minerals

Scurvy, 21, 91

Seafood, see Fish and seafood

Shaken Baby Syndrome, 149

Shellfish, see Fish and seafood

Smoking, see Cigarettes

Socioeconomic, 12, 134, 142

Sodium, see Minerals

Solids, see Complementary Foods

Sorbitol, 12, 107, 140

Soy-based beverage, soy milk, 23, 24, 25, 86, 137, 158

Spitting Up, 89, 139-140

Spoon Feeding, 43, 103

Suck/swallow reflex, see Reflex

Sudden Infant Death Syndrome (SIDS), 139, 151, 177
smoking and, 71

Sugar, see Sweeteners and sweetened foods

Supplements (vitamin and mineral), 18, 164, 168

breastfeeding mother use of, 73
folate, 22
fluoride, 27, 158, 134
iron, 24, 158
vitamin D, 19, 158
vegetarian diets, 138

Streptococcus mutans (S. mutans), 131-132

Sweeteners and sweetened foods and beverages, 113, 114, 115, 174, 196

beverages, 86, 114, 124, 132, 133, 158, 172, 174, 176
complementary foods, 106, 107, 108, 121, 169
dental Caries and, 131, 133, 134, 176
diarrhea, 141, 157, 172
food preparation and, 116, 169
fruit juice, 172, 157
honey, dangers of, 113

T

Tea,

herbal, 73, 114
regular, 12

infants and, 29, 86, 114, 115, 133, 140, 141
lactating women and, 72

Teething, 134, 176

medication and choking prevention, 124, 175
appetite and, 123
in breastfed infants, 59, 64

Theobromine, 114

Thiamin, see Vitamins

Tofu, 111, 119, 173, 192-193, see also Protein-rich foods
as a source of calcium, 23
vegetarian diets and, 137

Tolerable Upper Intake Level (UL), 12

Tooth Decay, 131, 176, 192, see also Oral Health and
Early Childhood Caries

bottle feeding and, 90, 165
fluoride and, 26
fruit juice and, 134, 171
prevention of, 133-134, 176-177
sweetened foods, sweeteners and, 113, 114

Tongue thrust reflex, 41, 42, 102

Trans fats, 18, see also Lipids

Tummy Time, 151

V

Vegan Diets, see Vegetarian diets

Vegetables, 108-109, 172, 190-194, 195-196

canned, 116
choking and, 109, 125, 134, 175
introduction of, 108, 172
low renal solute load,
nitrates, nitrites and, 109
preparation of, 115-117, 169
source of fiber, 16, 137, 157

Vegetarian Diets,

classifications of, 136
energy content of, 137
nutrients of concern,
calcium, 138
iron, 138
protein, 137
riboflavin, 138-139
vitamin B12, 137-138
vitamin D, 138
zinc, 138
nutrition counseling for, 137-139
risks of, 136-137
fruitarian diet, 136
macrobiotic, 136
vegan, 136
rickets, 136

Vitamin-mineral supplements, see Supplements

Vitamin A, see Vitamins

Vitamin B1, see Vitamins, Thiamin

Vitamin B2, see Vitamins, Riboflavin

Vitamin B6, see Vitamins

Vitamin B12, see Vitamins

Vitamin C, see Vitamins

Vitamin D, see Vitamins, Rickets

Vitamin E, see Vitamins

Vitamin K, see Vitamins

Vitamins,

biotin, 181, 194

folate, folic acid, 21, 181, 191

functions of, 21

evaporated cow's milk and, 86

in boiled cow's milk and infant formula,
86, 91

in goat's milk, 86

Recommended Dietary Allowance (RDA), 21

sources of, 22

niacin, 23, 181, 192

functions of, 23

Recommended Dietary Allowance (RDA), 23

sources of, 23

pantothenic acid, 181, 194

riboflavin (vitamin B2), 22

functions of, 22

Recommended Dietary Allowance (RDA), 22

sources of, 22

vegetarian, macrobiotic diets and, 22,
138-139

thiamin (vitamin B1), 22

deficiency, in breastfed infants, 22

functions of, 22

Recommended Dietary Allowance (RDA), 22

sources of, 22

vitamin A, 19, 180, 190

functions of, 19

deficiency of, 20

Dietary Reference Intakes (DRIs), 19

sources of, 20

vitamin B6 (pyridoxine), 22, 181, 191

functions of, 22

Dietary Reference Intakes (DRIs), 22

sources of, 22

vitamin B12, 21, 136-138, 181, 191

deficiency of in breastfed infants, 21

functions of, 21

Dietary Reference Intakes (DRIs), 21

sources of, 21

vegetarian diets and, 21

vitamin C, 20-21, 181, 191

deficiency of, 21

Dietary Reference Intakes (DRIs), 20

functions of, 20

fruit juice and, 107

iron absorption and, 24, 85, 138

sources of, 21

vitamin D, 18, 19, 158, 180, 190, 201

breast milk and, 19

calcium absorption, 23

cow's milk, 86

deficiency of, 19

Dietary Reference Intakes (DRIs), 18, 180

goat's milk 86

functions of, 18-19

Rickets, 19

sources of, 19

vegetarian diets, 136, 138

vitamin E (α -tocopherol), 20, 190,

cow's milk, low fat, skim milk and, 85

Dietary Reference Intakes (DRIs), 20, 180

functions of, 20

sources of, 20

vitamin K, 20, 180, 190-191

breast milk and, 20

deficiency of, 20

functions of, 20

infant formula and, 20

sources of, 20

Vomiting, 139-140, see also Gastrointestinal Problems

copper exposure and, 36

food hypersensitivity/allergy and, 83, 105, 168

herbal teas and, 114

low-iron formula, 82

nitrate exposure and, 37

Rotavirus and, 38

treatment of, 29, 114, 158

water needs and, 29

W

Water, 28, 158

lead, 36

boiling of, 36

nitrate and, 37

dehydration and, 29

excessive intake of, 29

fluoride content, 26-27, 134, 158

in bottled water, 26

functions of, 28

insufficient intake of, 28-29

intoxication, 29, 158, 174

guidelines on feeding, 28, 124, 168, 196

natural disaster and, 96

needs when complementary foods are introduced,
28, 38, 111, 114

oral health and, 134, 176

preparing infant formula, 91-92

protein-rich foods and, 111, 168

renal solute load and, 28

requirements, 28

safety of, 29-30, 35-38, 166

bacterial and viral contaminants, 37-38

bottled water and, 38

copper and, 36

EPA Safe Drinking Water Hotline, 30

lead, 30, 35-36

nitrate, 37

water testing recommendations, 35, 166

water treatment devices or units, 38

well water, 38, 158
sterilizing, 28, 91, 166

Weaning,

appetite/growth spurts and, 64
complementary bottles, pacifiers and, 65, 161
from the breast, 24, 74-75, 164
from the bottle, 123
from nipple shield, 66
obesity and, 142, 177
refusal to breastfeed, 64
slow weight gain and, 64
vegetarian diet and, 25, 137, 138

Weight,

poor/slow gain, 60, 64
gaining, 13, 61
sleepy/placid infant and, 59-60, 88
obesity and, 142, 177

Whey, 81

World Health Organization, 13, 51

Z

Zinc, see Minerals